



**SECURITY
DAYS**

DI INŽINIERIAUS RANKOSE: AR JIS TAVO PAGREITIS, AR PAVOJUS?

Martynas Kairys,
Zedge generalinis direktorius

The Future of Programming: Will AI Truly Replace Developers as Anthropic's CEO Predicts?

Even if the role of programmers fundamentally changes, programming and software development as disciplines will remain vital to technological progress.

© March 13, 2025 by Hamed Mohammadi | No comments yet



LinkedIn

Articles People



The Future of Software Developer Careers: Should Programmers Fear AI?



Out-of-the-box self-contained Cloud AI solutions for Image Processing
Published Apr 4, 2025

The impact of AI has caused the number of programmers in the USA to drop to its lowest level since 1980.

Global market report · Mar 18 09:37

文/A

IBM -0.76% META +0.65%



Artificial Intelligence and Machine Learning

The Outlook for Programmers

The job market for programmers is cooling, part of the continuing impact of generative AI and large language models.

By Esther Shein

Posted Apr 22 2025



McKinsey Report: Top Jobs Won't Be Replaced by AI In 2030

McKinsey Report: Jobs Won't Be Replaced by AI In 2030

Forbes


LEADERSHIP > CIO NETWORK

Smarter Engineers, Not Fewer: The age of AI-Augmented Development

By Sanjay Srivastava, Contributor. I mobilize digital transformation for...

May 28, 2025, 01:19pm EDT


Share Save



Sėkmė?

Pavyzdžiai


- Walmart: sutaupyta 4 mln. programuotojų valandų
- Microsoft tyrimas: 90% jaučiasi produktyvesni
- Perplexity: prototipai – iš dienų į valandas
- JPMorgan: +20% efektyvumo, milijardų vertė



neSėkmė?

Pavyzdžiai

- Replit: DI ištrynė “production” duomenų bazę
- Gemini CLI: sugalvoti veiksmai perrašė failus
- Samsung: nutekino jautrią informaciją į ChatGPT
- Builder.ai: subyrėjo po išpūstų DI pažadų



Android Services

1) Services components that run in the background. They are the activities, and can be started by the user or the system.

Service Example:

```

public class Test {
    public static void main (String [] args) {
        int x=0;
        int y=0;
        while (x<5) {
            y = 2*x;
            if (y > 4) {
                y = y-1;
            }
            System.out.print (x+"*"+y+"=");
            x=x+1;
        }
        System.out.println ();
    }
}

```

Output: 0 2 1 4 2 5 3 6 4 7

22/01/2015

MVC

Model-View-Controller

Model: Controller can send commands to model to update the data (e.g. editing document). Model stores data that is retrieved according to controller and displayed in the view. Controller generates an output presentation to the user based on changes in the model.

View: Controller updates the view. View uses the controller.

Controller: Controller manipulates the model. Controller is also responsible for controlling the data model behind the scenes.

Diagram: Model, View, Controller. Model updates View. View uses Controller. Controller manipulates Model.

MVC

Activities

Controller

View

Model

Controller sends commands to the model (called as the presenter) since it presents the data model on the screen.

Controller is also responsible for controlling the data model behind the scenes.

Controller is what adds, changes or deletes data in the model based on what the user does on the screen, or the user.

All the data in an app is well as the logic around that goes into model objects.

01/09/2015

Exercise: Fun Facts - MUI

1) Declare our variables

2) Declare our variables

3) Relative layout

4) View.OnClickListener

```

public class MainActivity {
    TextView textView;
    Button button;
    int x=0;
    int y=0;
    while (x<5) {
        y = 2*x;
        if (y > 4) {
            y = y-1;
        }
        System.out.print (x+"*"+y+"=");
        x=x+1;
    }
    System.out.println ();
}

```

Output: 0 2 1 4 2 5 3 6 4 7

25/08/2015

Fun Facts App


Start, Screen layout, Basic Android Programming, Testing + Debugging

Interactive Story App

Weather App

Self-Destructing Message Android App

Golf Score Card App



Fun Facts App

Start, Screen layout, Basic Android Programming, Testing + Debugging

Interactive Story App

Weather App

Self-Destructing Message Android App

Golf Score Card App

Build an Interactive Story App

Intent intent = getIntent();

page spinning documenter is:

Return the intent that started this activity.

Exercise: Getting Data from an Intent

1) We previously added a FUEL_LEVEL to our spacecraft. Now in FlightActivity, we want to get the value that we put in the Intent, start by declaring an Intent variable and getting the Intent used to start this Activity.

Intent intent = getIntent();

2) Now set mFuelLevel to the value from the Intent. Check the Intent documentation (if needed). Use "FUEL_LEVEL" as the key and -1 as the default value.

int mFuelLevel = intent.getIntExtra ("FUEL_LEVEL", -1);

Martynas Kairys
7 December 2024 · 🌐

ChatGPT PRO 200\$.
Nusprendžiau išbandyti ką iš tiesų gali o1 PRO mode modelis.... See more

ChatGPT o1 pro mode ▾



provide me full code html, css, javascript so I can implement this calculator

Calculator HTML, CSS, JavaScript Code
Thinking...
Details

Investment Growth Calculator

Inputs

Starting Amount:

5000

Additional Contribution:

100

Contribution Frequency:

Annually

Rate of Return (%):

4


Years to Grow:

10

Calculate

This investment will be worth: \$8649.86

Investment Growth Over Time



Investment Balance at Year 2035



ANALIZĖ

GIDAS

RESURSAI

PORTFELIS

BLOG

APIE

Pre

Nekilnojamojo Turto Skaičiuoklė

Šioje skaičiuoklėje galite surašyti visą reikalingą informaciją bei įtraukti "tikėtiną" NT pabrangimą per pasirinktą laikotarpį. Pasirinktas laikotarpis = paskolos laikotarpis = nuomos laikotarpis. Pagal pasirinktą metų skaičių ir bus rodomos pajamos. Nepamirškite pažymėti visų mokesčių, nes kitu atveju jūsų lūkesčiai bus klaidingi.

5 metai 10 metų 20 metų 30 metų

NT Kaina ? 100000 € Pradinis įnašas ? 15 %

Palūkanų norma ? 3 % NT mokestis 150 / metus

NT nuoma 800 / mėn Draudimas 100 / metus

Kiti mokesčiai Pridėti Pabrangimai Pridėti

Pajamos iš nuomos, atskaičius išlaidas

0 €

NT pardavimo pajamos

0 €

Visos Pajamos

0 €

Biržos Meistro Manija

Investuokite protingai ir tapkite rinkos meistrui!

Biržos Meistro Manija

Sausis 1992
Etapas 5 [Kitas Etapas >](#)

Finansų Patarimas:

Ekonomikos recesija dažnai sukuria puikias ilgalaikes investavimo galimybes.

Akcijų Rinka

Įmonė	Simbolis	Sektorius	Kaina	Dividendas	Veiksmas
MicroDrive	MDVR	Technology	\$35.61	0.7%	Prekiauti
Macrosoft	MCSF	Technology	\$21.34 -0.0%	-	Prekiauti
Pear Computers	PEAR	Technology	\$18.10	-	Prekiauti
Wall-Shop	WSHP	Retail	\$15.12	1.3%	Prekiauti
General Cars	GCAR	Automotive	\$48.41	4.4%	Prekiauti
Atlantic Oil	AOIL	Energy	\$32.48	3.5%	Prekiauti
First National Bank	FNB	Finance	\$41.76	2.8%	Prekiauti

Investicijų Portfelis

Grynieji pinigai
\$1,630.80
16.3% Alokacija

Bendra vertė
\$9,996.08

Įmonė	Akcijos	Kaina	Vertė
Macrosoft MCSF	392	\$21.34	\$8,365.28 83.7%

Paskutiniai sandoriai

-\$8,369.20 Nupirka 392 akcijų MCSF po \$21.35/akcija

Rezultatai

Dabartinis rezultatas

9,996

Žaidimo progresas 6%

Pinigų Tiltas

EN

Lėtas

Normalus

Greitas

Pradėti iš naujo

Amžius: 25

Mėnuo: 1

Metai: 1

Komforto lygis: 50%

Pinigų Tiltas - Grynieji santaupos & II pakopa/III pakopa

Grynieji santaupos

500,00 €

Būsima vertė (65 m.):
10 862,26 €

II pakopa

1 000,00 €

Būsima vertė (65 m.):
21 724,52 €

III pakopa

0,00 €

Būsima vertė (65 m.): 0,00 €

Mėnesinės išlaidos:

800,00 €

Komforto lygis:

25

35

45

55

65

Grynosios pajamos: 1 100,00 €

Išlaidos

770,00 €

Grynieji santaupos

165,00 €

II pakopa

110,00 €

III pakopa

55,00 €

✓ Grynosios pajamos: 1 100,00 €

Kitas mėnuo

File Share

Quickly share files with anyone - no sign up required



Drag and drop your file

Or click to browse

padauguvelė-dvaro-elegance

- Accents of teal and blue (from the tile wall) when needed
- Clean, framed sections to echo your design philosophy
- Elegant typography matching your Kristi Andress brand
- Subtle animations for a premium feel

Let me create this landing page for you:

feat: Implement initial website desi... Preview

Created an elegant website for Padauguvėlės Dvaras with a framed design aesthetic, featuring ivory, beige, and gray colors with black accents, and a responsive layout showcasing your manor's services and beautiful interior images.

What's next?

- Refine & Customize:** Tweak the design, animations, and layouts via prompts or visual edits.
- Master Prompting:** Use "chat mode" to plan out your project without making edits. Use clear, detailed, and iterative prompts for best results.
- GitHub Sync:** Transfer your project's code to GitHub for two-way sync of edits.

If you need a way to easily publish and update the website's content, such as event listings and pricing, or want to add other interactive features, consider using **Supabase**.

View on GitHub

PADAUGUVĖLĖS DVARAS

Sextantio Albergo Diffuso

SANTO STEFFANO DI SESSANIO, ABRUZZO

Sextantio Albergo Diffuso can be found in the medieval fortified village of Santo Stefano di Sessanio in the Abruzzo region. Its rooms, wine bar, restaurant and reception lie scattered in separate buildings formerly used as barns, stables, pigsties, wine cellars and farmers' or shepherds' lodgings. Wood and stone cottages have been restyled as suites and the village dungeons serve as a beautiful and atmospheric space for weddings. Albergo Diffuso, literally meaning 'scattered hotel', is in the stunning Abruzzo mountains just two hours east of Rome. The hamlet that had once fallen into disrepair has now been completely revived, and the local traditions of soap-making and wool-spinning are both thriving once again.

Sextantio Albergo Diffuso can sleep up to 60 guests across its 30 rooms and suites. If you have more guests there are several nice apartments spread throughout the village that can be booked.

Civil, religious or blessing ceremonies can take place in the village, in one of their beautiful spaces and their restaurant Locanda Sotto gli Archi can host up to 100 guests for your wedding reception.

PADAUGUVĖLĖS DVARAS

Išskirtinis istorinis dvaras 25km nuo Kauno centro

Airports Rome International Airport, 2 hrs.	ATRASTI Catering Self-catering.	Accessibility Not accessible for wheelchair.
Accommodation 30 rooms, sleeps 60.	Supplier policy Open supplier policy.	Max wedding guests 100 guests.
Wet weather Yes, inside option with romantic & medieval atmosphere.	Booking policy Open for bookings all year round.	Church Yes, in the village.
Air conditioning No (but fresh mountain air keeps it cool).	Where to stay Other apartments in the village and local B&B's (details on request).	Civil ceremony Town hall, 300m away from venue.

Price
November to April, min stay 1 night
Exclusivity of the location, 27 rooms: €1,800 per night. Min 10 rooms, mix of this, double and triple (classic, superior and suite): €200 per room per night.

Contact information
Michele Centonze
+390862890112
santostefano@sestantio.it
www.sestantio.it

Autentiškas dvaras jūsų išskirtinems patirtims

- Istorinis Lietuvos dvaras, skaičiuojantis nuo 1750-ųjų

Padauguvėlės dvaras – tai ne tik erdvė. Tai kvietimas į aplinką, kur kiekviena detalė sukurta su mintimi. Čia laikas sulėtėja, o estetika tampa dalimi jūsų istorijos.

Susisiekite Su Mumis

Tyrinėti Dvarą →

Slinkti žemyn



Nuo XVIII amžiaus

25 km nuo Kauno

padauguvelė-dvaro-elegance

modify in this file?

is my github updated with latest changes?

Lovable

I don't have direct access to your GitHub repository to check if it's updated with the latest changes.

If you connected your Lovable project to GitHub, you would need to manually check your repository to see if the recent changes (like updating the social media links in the Footer and ContactSection components) have been pushed.

To verify if your GitHub is updated:

- Visit your GitHub repository
- Look at the commit history to see if the recent changes we made appear there
- Check the dates of the latest commits to see if they match when we made the changes

If you haven't connected your project to GitHub yet, you'll need to do that first by:

- Clicking on the GitHub button in the top-right corner of the Lovable interface
- Following the prompts to authorize and connect your repository
- Once connected, your project changes should sync automatically

Would you like me to help you with connecting your project to GitHub, or do you need assistance with anything else?

PADAUGUVĖLĖS DVARAS

APIE MUS PASLAUGOS GALERIJA KONTAKTAI

Autentiškas dvaras jūsų išskirtinems patirtims

- Istorinis Lietuvos dvaras, skaičiuojantis nuo 1750-ųjų

Padauguvėlės dvaras – tai ne tik erdvė. Tai kvietimas į aplinką, kur kiekviena detalė sukurta su mintimi. Čia laikas sulėtėja, o estetika tampa dalimi jūsų istorijos.

Susisiekite Su Mumis Tyrinėti Dvarą →

Slinkti žemyn

★★★★ Nuo XVIII amžiaus 25 km nuo Kauno

Zvilgsnis į dvarą

Pasivaikykite po Padauguvėlės dvaro erdves. Laisvė, vaikščiojant per šią aplinką, kurią sukūrė žodžiais - autentišką, šilumą ir šviesą.

Susisiekime

Kvietame susisiekti su mumis, mūsų specialistai visus jūsų klausimus, padėsime sušvelninti 2024 metų vasarą ir rudenį. Pateikiame laisvą patalpas, turintį patalpas ir paslaugas.

Adresas Telefonas El. paštas

Mūsų paslaugos

Beveik, be gėrybių. Paslaugos, Paslaugos, Paslaugos, Paslaugos. Paslaugos, Paslaugos.

Dvaras laisvai ir šilumą
Užskaito dvaras, laisvumą, šilumą ir šilumą.
• 1000€ (su 40 dienų)
• 2000€ (su 70 dienų)
Su šilumą dvaras sušvelninti nuo 1000 iki 2000€ su šilumą dvaras sušvelninti sušvelninti.

Dvaras laisvai ir šilumą
Užskaito dvaras, laisvumą, šilumą ir šilumą.
• 1000€ (su 40 dienų)
• 2000€ (su 70 dienų)
Su šilumą dvaras sušvelninti nuo 1000 iki 2000€ su šilumą dvaras sušvelninti sušvelninti.

Agro-turizmas
Užskaito dvaras, laisvumą, šilumą ir šilumą.
• 1000€ (su 40 dienų)
• 2000€ (su 70 dienų)
Su šilumą dvaras sušvelninti nuo 1000 iki 2000€ su šilumą dvaras sušvelninti sušvelninti.

Padauguvėlės dvaras
Padauguvėlės dvaras - tai autentiškas dvaras, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą.

Temai, kurie ieško ne dar vienos vietos, o savo vietos.

Estetika, kuri kvėpuoja istorija
Autentiška dvaras dvaras, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą.

Erdvės, sukurtos pojūčiams
Nuo dvaras dvaras, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą. Dvaras laisvai ir šilumą, laisvumą, šilumą ir šilumą.



Martynas Kairys

7 January · 🌐



Filmukų laikas ir apsirengimas ryte 😊

"Sofia, paskubėk. Apsirenk."

"Sofia, darželyje nebespėsi papusryčiauti"

...

"Sofia, ką tu darai?"

Maždaug tokie panašūs rytai būna su vaikais kai jie dar nenori keltis ir laiko suvokimas pas juos yra kitoks nei mūsų.

Šiandien tai privedė prie to, jog paprasčiau dirbtinio intelekto mums sužaidybinti mūsų rytinį atsikėlimą ir prijungti motyvacijos elementų.


Dirbtinis intelektas padėjo tai padaryti iš pirmo karto. Bendra trukmė šio sprendimo 5 minutės ir 14 sekundžių (įskaitant ir šio post'o parašymą).

Versija nr. 1) <https://www.martynaskairys.com/fun-timer-cartoons-tracker...>

Versija nr. 2) <https://www.martynaskairys.com/get-ready-kids>

Ryto rutinos laikmatis

Sek laiko kiekį nuo pirmadienio iki penktadienio



Išvalyti visus duomenis



Martynas Kairys

14 January · 🌐



Viskas prasidėjo nuo kasdienės dramos - mano dukra Sofia ir jos epinė kova su rytine apranga. Įsivaizduokite: 8:45 ryto, darželyje pusryčiai 9:00, o mes vis dar ieškome antros kojinės po lova. Tuo metu, kai kitos mamos jau Instagram'e dalinasi tobulais vaikų pusryčiais, mes dar tik bandome išsiaiškinti, ar šiandien pirma dedame kelnes, ar batus.

Mano prašymas ChatGPT buvo maždaug toks "Noriu laikrodžio vaikams, kad greičiau apsirengtų. Kuo greičiau apsirengs, tuo daugiau laiko liks šeštadienio filmukams". Po 3,5 minutės (taip, skaičiavau) gavau veikiantį kodą. Kopijavau, įkėliau, veikia. Sofiai patiko ir per pirmas tris dienas apsirengė vidutiniškai per 8 minutes vietoje įprastų 30-40.

Morning Routine Timer



Monday

Tuesday

Wednesday

Thursday

Friday

10:00



▶ Start

2:00



▶ Start

★ Bonus Time

+3 min

🕒 Entertainment Time

60:00

🔄 Reset All

morning-time-tots-graph /weekly-stats

it seems that design on mobile with padding isn't great. also, achievement board should be on top. no need to write daily timeline and achievement board. icons on average time, best time and current badge should be bigger. Current Badge redesigned that "Speed Master" is much bigger letters and also it should be possible to click "i" button on current badge so I can review which badges I have already and which still to go.

Lovable

I'll fix the mobile padding, reorganize the layout, and redesign the current badge section with larger icons and an info button.

Refactor WeeklyStats screen

Preview Latest

Restore Code

I've improved the mobile experience with better padding, moved the achievement board to the top, made the icons 32px (bigger), redesigned the current badge with larger text and added a clickable info button, and removed the unnecessary title headers.



I am thinking design of average time, best time. It would be best that icon is on the left side and almost full height, time and text on the right side. time is big white bold, while text average time and best time white letters but much smaller.

with badge, there should be only badge on the left and "Speed Master" big white letters on the right. no need for current badge text. informational button should be top right corner of that div.

morning-time-tots-graph /weekly-stats

Design Improvements for WeeklyStats Screen:

- Average Time & Best Time Cards:**
 - Change layout from centered to left-aligned flex layout
 - Move icons (Target, Zap) to the left side with almost full height
 - Position time and text on the right side
 - Make time display big, white, and bold
 - Make "Average Time"/"Best Time" text smaller white letters
 - Remove center alignment and use flex layout instead
- Badge Card:**
 - Remove "Current Badge" text completely
 - Keep only the trophy icon on the left side
 - Move "Speed Master" text to the right with big white letters
 - Reposition the info button to the top-right corner of the entire badge div
 - Adjust the button positioning from absolute to better placement
- Layout Structure:**
 - Maintain the same 3-column grid on larger screens
 - Ensure mobile responsiveness is preserved
 - Keep the same background colors and styling
 - Adjust padding and spacing to accommodate the new left-aligned layout
- Icon Sizing:**
 - Increase icon sizes to make them more prominent
 - Ensure icons take up more vertical space as requested

Implement the plan



morning-time-tots-graph /weekly-stats

Weekly Progress Report

Building something big?

You have reached your daily messaging limit. Upgrade now to get more credit capacity for your projects.

Free

\$0 /month

For getting started with 5 daily credits

Get started with:

- Public projects

Pro **POPULAR**

\$25 /month

Up to a maximum of 30 credits per month. For getting started with 100 credits / month

Get started with:

- Public projects

Everything in Free, plus:

- 100 credits / month
- Private projects
- Remove the Lovable badge
- Custom domains
- 3 editors per project

Unused credits roll over one billing cycle

Teams

\$30 /month

For collaborating with others 100 credits / month

Get started with:

- Public projects

Everything in Pro, plus:

- Centralised billing
- Centralised access management
- Includes 20 seats

Unused credits roll over one billing cycle

You can update or cancel your subscription at any time.

Converting Web App to iOS App ▾

MM u shouldve said to enable developer mode

You're absolutely right! 🙏 **Developer Mode is crucial** for running apps on your device.

Enable Developer Mode:

1. On your iPhone/iPad: **Settings** → **Privacy & Security**

MM Unable to copy shared cache files

Domain: com.apple.dt.deviceprep

Code: -33

User Info: {

DVTErrrorCreationDateKey = "2025-05-23 15:40:14 +0000";

NSLocalizedStringRecoverySuggestion = "";

"com.apple.dt.DVTCoreDevice.operationName" = dtfetchsymbols;

}

--

The operation couldn't be completed. No space left on device

Domain: NSPOSIXErrorDomain

Code: 28

Failure Reason: No space left on device

--

System Information

macOS Version 15.4.1 (Build 24E263)

Xcode 16.3 (23785) (Build 16E140)

Timestamp: 2025-05-23T18:40:14+03:00

You're running out of disk space on your MacBook! This is why Xcode can't build the app.

MM code was 1300 lines now 1215. is that full code?

You're absolutely right! The code got truncated. Let me provide the complete full code with all 1300+ lines:

Complete Background-Resistant Morning Routine Timer Code

```
timeUp: "Laikas baigesi!",
dismiss: "Uždaryti"
}
};
```

```
const DAYS = ["monday", "tuesday", "wednesday", "thursday", "friday", "saturday", "sunday"]
```

```
// Random images
```

```
const randomImages = [
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6...",
  "https://cdn.prod.website-files.com/630f6..."
]
```

The screenshot shows a code editor with a TypeScript file on the left and a chat window with Claude AI on the right. The chat window contains the following text:

MM expand="block" is last part of code?

No, that's not the last part of the code. That's just part of an IonButton component. The complete file ends with:

```
typescript
</IonContent>
</IonPage>
);
};
export default MorningRoutineTimer;
```

The chat window also contains the following text:

The expand="block" you're seeing is just a property of an IonButton that makes the button take the full width of its container. Make sure you copy the **entire artifact code** from the beginning (import React...) all the way to the very end (export default MorningRoutineTimer;). The file should be about **500+ lines long** when complete. If you're only seeing a fragment, you need to copy the full code from the artifact above. Did you copy the complete file from beginning to end?

The chat window also contains the following text:

Claude can make mistakes. Please double-check responses.

Reply to Claude...


Claude Sonnet 4



MM entertainment timer still not working, it still shows 0.

Let's debug this step by step. Since the entertainment timer still shows 0, let's add comprehensive debugging to trace exactly what's happening.

Comprehensive Entertainment Timer Debugging
Code



Add this debugging code to your component. The debug panel will show you:

1. Current state values
2. What's in localStorage
3. The actual `times.entSeconds` value

Most likely causes:

1. `DEFAULT_TIMES.entSeconds` is **undefined or 0** - Check your config file
2. **Something is clearing localStorage** - The debug panel will show this
3. **The week detection is constantly resetting**
4. The `stopEntertainmentTimer` function isn't returning a value

Once you add this debug code, run the app and check:

1. What does the debug panel show initially?
2. Click "Log All" and check the console
3. Try the "Reset to 10s" button - does it work?
4. What happens when you start and stop the timer?

Share what you see in the debug panel and console, and we can pinpoint the exact issue.



📄 👍 🗨️ Retry ▾


Claude can make mistakes. Please double-check responses.

MM this is the code I have for iOS app. but, for some reason alarm doesn't work when I use other app. it only shows one notification if I am not on that app. It should work no matter what. good examples is ios clock app from Apple where Timer sounds alarm and there is notification at the top that is sticky and do not disappear until I go to the app to switch off.

Looking at your code, I can see the issue. iOS has strict limitations on background execution, and your current implementation relies on JavaScript intervals which stop when the app goes to the background. The notifications are scheduled correctly, but you need a different approach for a persistent alarm like the iOS Clock app.

Here's an enhanced version that will work more reliably:

Enhanced iOS Timer with Persistent Alarm
Code



ⓘ This response paused because Claude reached its max length for a message. Hit continue to nudge Claude along.

Continue



📄 👍 🗨️ Retry ▾

Claude can make mistakes. Please double-check responses.

Usage limit reached — your limit will reset at 10:00 PM.

Subscribe to Max

Continue



Claude Opus 4 ▾



MM when I click reset all buton it just shows image. why? no need for that. I need to reset time

I see the issue. When you call `stopCountdown` and `stopTeeth`, they trigger `showRandomImage`. Let's fix this by modifying the stop functions to optionally skip showing images.

Option 1: Add a flag to skip images (Simplest solution)

In your `resetAll` function, temporarily disable the image showing:

```
javascript
const resetAll = async () => {
  // Temporarily store the showRandomImage function
  const originalShowRandomImage = showRandomImage;

  // Create a no-op function that does nothing
  const noOpShowRandomImage = () => {};

  // Replace showRandomImage with no-op in the routineTimers
  // This is a bit hacky but works for the reset

  // Stop all running timers without showing images
  DAYS.forEach(day => {
    // Clear intervals directly without calling stop functions
    if
```



📄 🌟 🗨️ Retry

Claude can make mistakes. Please double-check responses.

Page Unresponsive
 You can wait for it to become responsive or exit the page.

🌟 Troubleshooting Cartoon Timer Issue - Claude

Exit Page Wait

```

console.log('DEFAULT_TIMES.entSeconds:', DEFAULT_TIMES.entSeconds);

const defaultValue = DEFAULT_TIMES.entSeconds || 10;
console.log('Setting default to:', defaultValue);
localStorage.setItem('entertainmentAvailableSeconds', String(defaultValue));
return defaultValue;
}

(stored);
tored value:', parsed);

e initialization
Time, setAvailableCartoonTime] = useState(() => {
  alizeCartoonTime();
  state value:', initial);

});

// 3. Replace your useEffect with this traced version
useEffect(() => {
  console.log('=== ENTERTAINMENT USEEFFECT RUNNING ===');
  console.log('times.entSeconds:', times.entSeconds);


  const getWeekNumber = (date: Date) => {
    const d = new Date(Date.UTC(date.getFullYear(), date.getMonth(), date.getDate()));
    const dayNum = d.getUTCDay() || 7;
    d.setUTCDate(d.getUTCDate() + 4 - dayNum);
    const yearStart = new Date(Date.UTC(d.getUTCFullYear(), 0, 1));
    return Math.ceil((((d as any) - (yearStart as any)) / 86400000 + 1) / 7);
  };

  const now = new Date();
  const thisWeek = getWeekNumber(now);
  const storedWeek = localStorage.getItem('entertainmentWeekNumber');
  const lastWeek = storedWeek ? Number(storedWeek) : null;



  console.log('Week comparison - This week:', thisWeek, 'Last week:', lastWeek);


```

VS Code + Github Copilot





Cursor







All Activities: 18h 59m (7h 44m)

Activity	Time	App
Development	7h 44m	Development
Cursor	3h 9m	Cursor
Code	2h 35m	Code
Xcode	1h 20m	Xcode
Terminal	37m	Terminal
Web Browsing	5h 41m	Web Browsing
Arc	5h 3m	Arc
chatgpt.com	2h 0m	chatgpt.com
claude.ai	1h 39m	claude.ai



Stack Overflow Q&A count





Ar kodo rašymas yra DI esmė?
(komunikacija)

Code works on the first try



Junior Developer



Senior Developer



Senior-dev-mentor?



95% nėra ROI?

Hakatonai dabar?



Užklauso

(Prompts)


- Įprastai
- XML Tags `<content>This is some content</content>`

- Markdown

```
#Heading 1
## Heading 2
### Heading 3
**bold**
```

- Curly Braces `{ placeholder goes here }`

- JSON



JSON pavyzdys

```
"instruction": "Integrate the foundations of computational linguistics and the principles of innovative thinking to provide guidance that enhances the user's ability to develop effective prompts, understand AI mechanics, and apply automation strategies for optimizing large language model outputs.",
"metadata": {
  "prompt_type": "educational_enhancement",
  "domain": "AI and automation",
  "tags": ["innovation", "efficiency", "skill_development", "LLM_optimization"],
  "tone": "informative_and_inspiring",
  "expected_response_type": "technique_exploration_and_strategy",
  "content_warning": "technical",
  "interaction_style": "mentor_and_innovator",
  "computational_linguistics_principles": ["syntax", "semantics", "pragmatics"],
  "innovation_strategies": ["first_principles_thinking", "lateral_thinking"],
  "personalization_level": "adaptive",
  "contextual_awareness": ["user_experience_level", "application_scope", "creative_constraints"],
  "engagement_strategy": "conceptual_expansion",
  "goal_setting": "user_defined",
  "follow_up": "iterative_feedback"
},
"annotations": {
  "technical_guidance": "detailed",
  "creativity_fostering": "encouraged",
  "adaptive_response": "knowledge_adapted",
  "skill_building": "prioritized",
  "challenge_technical_complexity": "simplified",
  "support_skill_application": "practical",
  "innovative_thinking": "cultivated",
  "solution_oriented": "focused",
  "rapport_building": "knowledge_based",
  "proactive_engagement": "consistent"
}
}
```

- ChatGPT
- Operations GPT for ...
- Jira task helper
- Commit Review Assi...
- goals for employees

Explore GPTs 1

GPTs

Discover and create custom versions of ChatGPT that combine instructions, extra knowledge, and any combination of skills.

Search GPTs

Top Picks DALL-E Writing Productivity Research & Analysis Programming Education Lifes →

Shared with Me

- 1  **3rd Party Library Approval**
I generate 3rd party approval request comments from a single link
By V · 7
- 2  **Test PP Knowledge**
By . . . · 1

Popular at Shift4

Most popular GPTs in your workspace

- 1  **Test Cases by QA**
By . . . · 20
- 2  **Test Analyst**
By . . . · 38
- 3  **Commit Review Assistant**
Professional guidance for writing precise commit reviews and Jira documentation
By Martynas Kairys · 4
- 4  **Jira task helper**
By Martynas Kairys · 11



ChatGPT 4o ▾

- ChatGPT
- PersonalBrandingGPT
- DesignerGPT
- etfGPT
- DomainsGPT
- ... 24 more ▾
- Explore GPTs



Previous 7 Days



- Make me a personal webpage
- Quiz me on world capitals
- Text inviting neighbors to barbecue
- What to do with kids' art

Message ChatGPT



My GPTs

+ Create



ChatGPT



PersonalBrandingGPT



DesignerGPT



etfGPT



DomainsGPT

... 24 more ▾



Explore GPTs

Previous 7 Days



GPTs

Discover and create custom versions of ChatGPT that combine instructions, extra knowledge, and any combination of skills.

🔍 Search GPTs

Top Picks

Writing

Productivity

Research & Analysis

Education

Lifestyle

Programming

Featured


Curated top picks from this week



PDF Ai PDF

Securely store and chat with ALL your PDFs for FREE, no matter the size. Free Chrome extensio...

By myaidrive.com



Consensus

Ask the research, chat directly with the world's scientific literature. Search references, g...

By consensus.app



Kraftful product coach



Grimoire

Create Configure

 Hi! I'll help you build a new GPT. You can say something like, "make a creative who helps generate visuals for new products" or "make a software engineer who helps format my code."

What would you like to make?

GPT Creation

 Message GPT Builder 

Preview

GPT Testing



 Message GPT 



Create

Configure



Name **2**

Name your GPT

Description **3**

Add a short description about what this GPT does

Instructions **4**

What does this GPT do? How does it behave? What should it avoid doing?

Conversation starters **5**

✕

Knowledge **6**

If you upload files under Knowledge, conversations with your GPT may include file contents. Files can be downloaded when Code Interpreter is enabled

Upload files

Capabilities **7**

- Web Browsing
- DALL-E Image Generation
- Code Interpreter & Data Analysis ?

Actions

Create new action **8**

Preview



📎 Message GPT





Co-thinker mode?